

1 **UK-TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
UKSI 2016:1107 (as amended) – Schedule 3A, Part 1**

3 UK-Type Examination Certificate Number: **BAS21UKEX0575X**
4 Product: **IRwin SX***
5 Manufacturer: **Inficon AB**
6 Address: **Box 76, 581 02 Linköping, Sweden**

7 This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 SGS Baseefa, Approved Body number 1180, in accordance with Regulation 43 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations.

The examination and test results are recorded in confidential Report No. **GB/BAS/ExTR22.0049/00**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018 EN 60079-11:2012

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign “X” is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

11 This UK-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Regulations apply to the manufacturing process and supply of this product. These are not covered by this certificate.

12 The marking of the product shall include the following:

⊕ II 1 G Ex ia IIC T3 Ga (-20°C ≤ T_a ≤ +50°C)

SGS Baseefa Customer Reference No. **7324**

Project File No. **21/0370**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail baseefa@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65
3EN



R S SINCLAIR
TECHNICAL MANAGER
On behalf of SGS Baseefa Limited

**Certificate Number
BAS21UKEX0575X**



**Issued 14 March 2022
Page 2 of 3**

13 **Schedule**

14 **Certificate Number BAS21UKEX0575X**

15 **Description of Product**

The IRwin SX* is a portable battery powered gas detector intended for detection of various gas types, dependent upon variant, and is fitted with internal pumps for sampling via the hand probe. Measurements are shown via the integrated LCD screen and are additionally stored for later retrieval or may be transmitted via a Bluetooth connection.

The equipment consists of a PCB featuring numerous components, an LCD screen with accompanying buttons for interface purposes, secondary lithium-ion cells with small solenoids and DC pumps for gas sampling all housed within a static dissipative plastic enclosure.

The hand-probe is connected to the sample inlet connector whilst a charger/serial port connector allows for the internal batteries to be recharged or for data retrieval. The charger/serial port is not used in the hazardous area.

The IRwin SX* models covered by this certificate are as follows:

IRwin SX	CH ₄
IRwin SXT	As SX + O ₂ , H ₂ S, CO
IRwin SXG	As SX + gas chromatograph
IRwin SXGT	As SXT + gas chromatograph

16 **Report Number**

GB/BAS/ExTR22.0049/00

17 **Specific Conditions of Use**

- Battery charging and data transfer may only be performed in the non-hazardous area. Only the *Certified IRwin Charging Adaptor* (P/N-580-604) may be connected to the IRwin SX* for battery charging or data transfer.
- The Irwin SX* must not be used in any environment that may expose the equipment to acetylene.

18 **Essential Health and Safety Requirements**

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

Clause	Subject	Compliance
13	LVD type requirements	Manufacturer responsibility
14	Overloading of equipment (protection relays, etc.)	User/Installer responsibility
21 (1)	External effects	User/Installer responsibility
21 (2)	Aggressive substances, etc.	User/Installer responsibility

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
5559	1 & 2	B	22-03-14	Plastic Housing, Front
5560	1 of 1	B	22-03-14	Plastic Housing, Back
8994-1	1 of 1	A	21-09-29	IRwin Labels

For all other drawings, see Baseefa16ATEX0034X.