

O-Ring CR / FPM

INFICON ISO-K quality fittings are manufactured according to ISO 1609, DIN 28404 and Pneurop 6606. Our quality large diameter fittings are the standard vacuum components for all vacuum and high vacuum lines. The high quality INFICON fittings are designed and tested for leak rates less than 1 x 10-9 mbar I/s.



BENEFITS

- Competitively priced
- World wide logistics
- 2011/65/EU RoHS compliant

ORDER INFORMATION

O-ring FPM75.5/VA75F,ø 658.87x7,DN630ISO	212-369
O-ring FPM75.5/VA75F,ø329.57x7,DN320ISO	212-366
O-ring FPM75.5/VA75F,ø405.26x7,DN400ISO	212-367
O-ring FPM75.5/VA75F,ø506.86x7,DN500ISO	212-368
O-ring, CR60, ø107.32x5.33, 5 piece	212-388
O-ring, CR60, ø158.1x5.33, 5 piece	212-389
O-ring, CR60, ø208.92x5.33, 5 piece	212-390
O-ring, CR60, ø253.37x5.33, 5 piece	212-391
O-ring, CR60, ø75.57x5.33, 5 piece	212-386
O-ring, CR60, ø88.25x5.33, 5 piece	212-387
O-ring, FPM75, ø107.2x5.34, 5 piece	212-394
O-ring, FPM75, ø158.1x5.34, 5 piece	212-395
O-ring, FPM75, ø208.92x5.34, 5 piece	212-396

O-ring, FPM75, ø253.4x5.34, 5 piece	212-397
O-ring, FPM75, ø75.57x5.34, 5 piece	212-392
O-ring, FPM75, ø88.25x5.34, 5 piece	212-393

SPECIFICATIONS


Dimension A 75.6 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 88.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 88.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 5 pcs. Seal: CR, FPM DN 160 ISO-K 5 pcs. Seal: CR, FPM DImension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIN 200 ISO-K 5 pcs. Dimension B 5.3 Set of: 5 pcs. Set of: 5 pcs. Set of: 5 pcs. Set of: <t< th=""><th>Туре</th><th>·</th></t<>	Туре	·
Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 88.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIMENSION K CR, FPM DIMENSION A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIMENSION B 5.3 Set of: 5 pcs. Seal: CR, FPM DIMENSION A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K Dimension B DIMENSION A 208.9 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K Dimension B Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K	DN 63 ISO-K	
Set of: 5 pcs. Seal: CR, FPM Dimension A 86.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 0 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K 5 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K 5	Dimension A	75.6
Seal: CR, FPM DN 80 ISO-K	Dimension B	5.3
DN 80 ISO-K 88.3 Dimension A 88.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 107.3 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K CR, FPM DN 101 ISO-K 5 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 208.9 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 208.9 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIN 250 ISO-K 5 pcs. Seal: CR, FPM DIMENSION A 253.4 Dimension	Set of:	5 pcs.
Dimension A 88.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 107.3 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K CR, FPM DN 160 ISO-K 5 pcs. Set of: 5 pcs. Set of: 5 pcs. Set of: 5 pcs. Set of: 5 pcs. DN 160 ISO-K 0 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 pcs. Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIM 200 ISO-K 5 pcs. Seal: CR, FPM DIM 250 ISO-K 5 pcs. Dimension A 253.4 Dimens	Seal:	CR, FPM
Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 107.3 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K CR, FPM DN 160 ISO-K DImension A Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K Total sector Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K Spcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K CR, FPM <td< td=""><td>DN 80 ISO-K</td><td></td></td<>	DN 80 ISO-K	
Set of: 5 pcs. Seal: CR, FPM DN 100 ISO-K 107.3 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 pcs. Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 pcs. Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 pcs. Seal: CR, FPM DIN 250 ISO-K 5 pcs. Seal: CR, FPM DIN 250 ISO-K 5 pcs. Dimension A 253.4 Dimension B	Dimension A	88.3
Seal: CR, FPM DN 100 ISO-K 107.3 Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K CR, FPM DN 160 ISO-K 0 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 5 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K 5 Dimension A 253.4 Dimension A 253.4 Dimension B 5.3	Dimension B	5.3
DN 100 ISO-KDimension A107.3Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 160 ISO-KTotal (CR, FPM)Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 200 ISO-KCR, FPMDimension A208.9Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 200 ISO-KSes.Dimension B5.3Set of:5 pcs.Seal:CR, FPMDimension B5.3Set of:5 pcs.Seal:CR, FPMDimension B5.3Set of:5 pcs.Seal:CR, FPMDimension B5.3Dimension A253.4Dimension A253.4Dimension B5.3	Set of:	5 pcs.
Dimension A 107.3 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K 5 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIN 250 ISO-K CR, FPM Dimension A 253.4 Dimension A 253.4	Seal:	CR, FPM
Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K 158.1 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 208.9 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K CR, FPM Dimension A 253.4 Dimension A 253.4 Dimension B 5.3	DN 100 ISO-K	
Set of: 5 pcs. Seal: CR, FPM DN 160 ISO-K 158.1 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIN 250 ISO-K CR, FPM Dimension A 253.4 Dimension A 253.4	Dimension A	107.3
Seal: CR, FPM DN 160 ISO-K 158.1 Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIN 250 ISO-K T Dimension A 253.4 Dimension B 5.3	Dimension B	5.3
DN 160 ISO-K Dimension A 158.1 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DIMENSION SO-K DIMENSION SPAC DIMENSION SPAC SPAC SPACE SPACE SPACE	Set of:	5 pcs.
Dimension A158.1Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 200 ISO-K208.9Dimension A208.9Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 250 ISO-KCR, FPMDimension A253.4Dimension B5.3	Seal:	CR, FPM
Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 200 ISO-K208.9Dimension A208.9Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 250 ISO-KCR, FPMDimension A253.4Dimension B5.3	DN 160 ISO-K	
Set of: 5 pcs. Seal: CR, FPM DN 200 ISO-K 208.9 Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K CR, FPM Dimension A 253.4 Dimension B 5.3	Dimension A	158.1
Seal:CR, FPMDN 200 ISO-K208.9Dimension A208.9Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 250 ISO-K253.4Dimension B5.3	Dimension B	5.3
DN 200 ISO-K Dimension A 208.9 Dimension B 5.3 Set of: 5 pcs. Seal: CR, FPM DN 250 ISO-K Dimension A 253.4 Dimension B 5.3	Set of:	5 pcs.
Dimension A208.9Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 250 ISO-KDimension A253.4Dimension B5.3	Seal:	CR, FPM
Dimension B5.3Set of:5 pcs.Seal:CR, FPMDN 250 ISO-K253.4Dimension A253.4Dimension B5.3	DN 200 ISO-K	
Set of:5 pcs.Seal:CR, FPMDN 250 ISO-K253.4Dimension A253.4Dimension B5.3	Dimension A	208.9
Seal:CR, FPMDN 250 ISO-K253.4Dimension A253.4Dimension B5.3	Dimension B	5.3
DN 250 ISO-K Dimension A 253.4 Dimension B 5.3	Set of:	5 pcs.
Dimension A253.4Dimension B5.3	Seal:	CR, FPM
Dimension B 5.3	DN 250 ISO-K	
	Dimension A	253.4
Set of: 5 pcs.	Dimension B	5.3
	Set of:	5 pcs.

2

SPECIFICATIONS

CR, FPM
329.6
7
CR, FPM
405.3
7
CR, FPM
506.9
7
CR, FPM
658.9
7
CR, FPM

DIMENSIONS





www.inficon.com reachus@inficon.com Due to our continuing program of product improvements, specifications are subject to change without notice. RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners. (2018-08) © 2018 INFICON