

带英制螺丝的半圆形夹环

INFICON ISO-KF 接头是按照 ISO 2861/1, DIN 28403 和 Pneurop 6606 标准制造的. 我们的高质量接头是全部真空和高真空应用的标准元件. 设计和测试的高质量 INFICON 元件用于漏率低于 1×10^{-9} 毫巴 升/秒.



益处

- 有竞争力的价格
- 按照严格的国际认可的标准设计和测量
- 全球性货运
- 2011/65/EU RoHS 符合

订购信息

类型	DN 10-16 ISO-KF	DN 20-25 ISO-KF	DN 32-40 ISO-KF	DN 50 ISO-KF
隔板夹DN 10-16 ISO-KF	211-545			
隔板夹DN 20-25 ISO-KF		211-546		
隔板夹DN 32-40 ISO-KF			211-547	
隔板夹DN 50 ISO-KF				211-548

规格

类型	DN 10-16 ISO-KF	DN 20-25 ISO-KF	DN 32-40 ISO-KF	DN 50 ISO-KF
规格 A	51	61	75	95
规格 B	30.4	40.4	55.4	75.4
规格 C	22	32	47	62
规格 D	9.5	9.5	9.5	10
规格 E	5.3	5.3	5.3	5.3
半夹环 :	Aluminium 6082	Aluminium 6082	Aluminium 6082	Aluminium 6082
螺栓:	Hexagon socket head cap screw; Inox, 10-32 UNF x 5/8"; silver plated	Hexagon socket head cap screw; Inox, 10-32 UNF x 5/8"; silver plated	Hexagon socket head cap screw; Inox, 10-32 UNF x 5/8"; silver plated	Hexagon socket head cap screw; Inox, 10-32 UNF x 5/8"; silver plated
垫圈:	Washer DIN 125 A , A2 5.3/10x1	Washer DIN 125 A , A2 5.3/10x1	Washer DIN 125 A , A2 5.3/10x1	Washer DIN 125 A , A2 5.3/10x1
螺栓数 :	6	6	6	8

