

带致密滤网的中环

INFICON ISO-KF 接头按照 ISO 2861/1、DIN 28403 和 Pneurop 6606 标准制造。我们的优质接头是所有真空和高真空度应用的标准元件。高质量 INFICON 元件经过精心设计，通过了泄漏速率低于 1×10^{-9} mbar l/s 的测试。



好处

- 价格极具竞争力
- 全球物流
- 设计和措施严格遵循国际认可的标准
- 符合 2011/65/EU RoHS 标准

订购信息

类型	DN 10 ISO-KF	DN 16 ISO-KF	DN 25 ISO-KF	DN 40 ISO-KF	DN 50 ISO-KF
细目过滤中心环组件DN 10 ISO-KF	211-096				
细目过滤中心环组件DN 16 ISO-KF		211-097			
细目过滤中心环组件DN 25 ISO-KF			211-098		
细目过滤中心环组件DN 40 ISO-KF				211-099	
细目过滤中心环组件DN 50 ISO-KF					211-100

规格

类型	DN 10 ISO-KF	DN 16 ISO-KF	DN 25 ISO-KF	DN 40 ISO-KF	DN 50 ISO-KF
规格 A	12	17	26	41	52
规格 B	9	13	22	35.5	45.7
规格 C	8	8	8	8	8
规格 D	3.9	3.9	3.9	3.9	3.9
孔径：	0.004 mm	0.004 mm	0.004 mm	0.004 mm	0.004 mm
内环：	Stainless Steel 303/1.4305	Stainless Steel 303/1.4305	Stainless Steel 303/1.4305	Stainless Steel 303/1.4305	Stainless Steel 303/1.4305
卡环：	Stainless Steel - / 1.4122	Stainless Steel - / 1.4122	Stainless Steel - / 1.4122	Stainless Steel - / 1.4122	Stainless Steel - / 1.4122
滤网：	Stainless Steel 316L / 1.4404	Stainless Steel 316L / 1.4404	Stainless Steel 316L / 1.4404	Stainless Steel 316L / 1.4404	Stainless Steel 316L / 1.4404
密封圈	FPM	FPM	FPM	FPM	FPM

尺寸

