

## 超高柔性金属软管

---

INFICON ISO-KF 接头按照 ISO 2861/1、DIN 28403 和 Pneurop 6606 标准制造。我们的优质接头是所有真空和高真空度应用的标准元件。高质量 INFICON 元件精心设计，并通过了泄漏速率低于  $1 \times 10^{-9}$  mbar l/s 的测试。



### 益处

---

- 价格极具竞争力
- 全球物流
- 设计和措施严格遵循国际认可的标准
- 表面光洁度、焊缝、材料规格和清洁度均达到或超过高真空规格
- 符合 2011/65/EU RoHS 标准

### 功能

---

- 水压成形
- 100% 试漏
- 非常柔性

### 订购信息

---

类型	DN 10 ISO-KF	DN 16 ISO-KF	DN 25 ISO-KF	DN 40 ISO-KF	DN 50 ISO-KF
Flexible metal hose HF, DN 10 KF, 250mm	211-331				
Flexible metal hose HF, DN 10 KF, 750mm	211-333				
Flexible metal hose HF, DN 16 KF, 1500mm		211-531			
Flexible metal hose HF, DN 16 KF, 2000mm		211-532			
Flexible metal hose HF, DN 16 KF, 500mm		211-336			
Flexible metal hose HF, DN 16 KF, 750mm		211-337			
Flexible metal hose HF, DN 25 KF, 1500mm			211-533		
Flexible metal hose HF, DN 40 KF, 2000mm				211-536	
Flexible metal hose HF, DN 50 KF, 500mm					211-348
Flexible metal hose HF, DN 50 KF, 750mm					211-349
柔性管HF, DN 25 KF, 750mm			211-341		
柔性金属管HF, DN 16 KF, 1000mm		211-338			
柔性金属管HF, DN 16 KF, 250mm		211-335			
柔性金属软管HF, DN 10 KF, 1000mm	211-334				
柔性金属软管HF, DN 10 KF, 500mm	211-332				
柔性金属软管HF, DN 40 KF, 1000mm				211-346	
柔性金属软管HF, DN 40 KF, 250mm				211-343	
柔性金属软管HF, DN 40 KF, 500mm				211-344	
柔性金属软管HF, DN 40 KF, 750mm				211-345	
波纹管HF, DN 25 KF, 1000mm			211-342		
波纹管HF, DN 50 KF, 1000mm					211-350
金属软管HF, DN 25 KF, 2000mm			211-534		
金属软管HF, DN 25 KF, 250mm			211-339		
金属软管HF, DN 25 KF, 500mm			211-340		
金属软管HF, DN 40 KF, 1500mm				211-535	
金属软管HF, DN 50 KF, 250mm					211-347

## 规格

类型	DN 10 ISO-KF	DN 16 ISO-KF	DN 25 ISO-KF	DN 40 ISO-KF	DN 50 ISO-KF
规格 A	250, 500, 750, 1000	250, 500, 750, 1000, 1500, 2000	250, 500, 750, 1000, 1500, 2000	250, 500, 750, 1000, 1500, 2000	250, 500, 750, 1000
规格 B	100	70	100	130	200
规格 C	17	50	60	100	130
内部压力 :	Max. 6 bar	Max. 4 bar	Max. 4 bar	Max. 4 bar	Max. 4 bar
B=	Radius for multiple bending	Radius for multiple bending	Radius for multiple bending	Radius for multiple bending	Radius for multiple bending
C=	Radius for single bending	Radius for single bending	Radius for single bending	Radius for single bending	Radius for single bending
Material flange:	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304
材料 :	Stainless Steel 316L/1.4404	Stainless Steel 316L/1.4404	Stainless Steel 316L/1.4404	Stainless Steel 316L/1.4404	Stainless Steel 316L/1.4404

