

## 螺柱螺钉套装

INFICON CF 优质接头按照 ISO 3669 和最新的 TS/ ISO 3669-2 标准制造。INFICON 超高真空接头设计用于压强低至  $1 \times 10^{-12}$  mbar 和烧烤温度高达  $400^{\circ}\text{C}$  的应用。



### 益处

- 全球物流
- 设计和措施严格遵循国际认可的标准
- 符合 2011/65/EU RoHS 标准

### 订购信息

类型	DN 16 CF	DN 40 CF	DN 63-100 CF
螺栓螺钉 M 4x20, DN 16 CF	213-431		
螺栓螺钉 M 6x35, DN 40 CF		213-432	
螺栓螺钉 M 8x45, DN 63-100 CF			213-433

## 规格

类型	DN 16 CF	DN 40 CF	DN 63-100 CF
规格 A	20	35	45
套件：	6 x M4	6 x M6	16 x M8
拧紧力矩：	4 Nm	10 Nm	20 Nm
螺栓：	Stainless Steel 316 / 1.4401	Stainless Steel 316 / 1.4401	Stainless Steel 316 / 1.4401
垫圈：	Stainless Steel 304 / 1.4301	Stainless Steel 304 / 1.4301	Stainless Steel 304 / 1.4301
螺母：	Stainless Steel 316 / 1.4401	Stainless Steel 316 / 1.4401	Stainless Steel 316 / 1.4401

