

SKY CDG045D Torr based other ranges


INFICON SKY CDG045D manometers are your best choice for high accuracy total pressure measurement and control. CDG045D gauges are temperature controlled at 45 °C for superior signal stability and repeatability. They are available for full scale ranges from 100m Torr to 1000 Torr, with all common flange types and fieldbus interfaces and provide a linear 0 to 10 V, gas type independent pressure signal. INFICON capacitance manometers use an ultra pure alumina ceramic diaphragm which is corrosion proof. The advantages of the ceramic sensor are better signal stability, faster recovery from atmosphere, short warm up time and an extraordinary lifetime. INFICON CDGs are high quality, cost effective pressure sensors for demanding vacuum applications.



FEATURES

- Lower cost of ownership, 50% faster warm up, energy efficient low power consumption
- Easy integration, wide variety of full scales, flanges and interfaces, standard with two set points
- Easy one push button or remote signal zero command, zero offset adjustable
- Diagnostic port for quick service and maintenance
- Two year warranty, longer life time with advanced heating concept and gauge protection
- No long term recalibration due to excellent signal stability and repeatability, even in harsh plasma applications
- Compliance & standards: CE, EN, UL, SEMI, RoHS

ORDERING INFORMATION



¹⁾ Optimised signal filter setting for pressure control.

bold = standard products

Other flange types and full scale ranges (F.S.) on request.

SPECIFICATIONS

Type	500 Torr	200 Torr	50 Torr	20 Torr	2 Torr	0.25 Torr
Measurement Range F.S. Torr (Full Scale)	500	200	50	20	2	0.25
Measurement Range F.S. (Full Scale)	66661	26664	6666.1	2666	266.66	33.3
Accuracy	0.15	0.15	0.15	0.15	0.15	0.15
Temperature effect						
on zero	0.0025	0.0025	0.0025	0.0025	0.0025	0.005
on span	0.01	0.01	0.01	0.01	0.01	0.01
Pressure, max.	400	260	260	260	260	130
Response time	30	30	30	30	30	130

ACCESSORIES

	500 Torr	200 Torr	50 Torr	20 Torr	2 Torr	0.25 Torr
Diagnostic cable 1.9m (P3)	303-333	303-333	303-333	303-333	303-333	303-333



www.inficon.com reachus@inficon.com

Due to our continuing program of product improvements, specifications are subject to change without notice.
RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners.

(2013-03) © 2012 INFICON