



1 **EU-TYPE EXAMINATION CERTIFICATE**

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: **Sira 07ATEX2117X** Issue: **6**

4 Equipment: **Extrima® Hydrogen Leak Detector**

5 Applicant: **INFICON AB**

6 Address: Westmannsgatan 49  
SE-582 16 Linköping  
Sweden

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 CSA Group Netherlands B.V., Notified Body Number 2813 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 60079-0: 2006

EN 60079-11: 2007

EN 60079-26: 2004

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to Specific Conditions of Use identified in the schedule to this certificate.

11 This EU-Type Examination Certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.

12 The marking of the equipment shall include the following:



II 1G

Ex ia IIC T3 (Ta = -20°C to +50°C)

Project Number 2382

Signed: 

Title: Director of Operations

This certificate and its schedules may only be reproduced in its entirety and without change

**CSA Group Netherlands B.V.**  
Utrechtseweg 310,  
6812 AR, Arnhem,  
Netherlands



## SCHEDULE

### EU-TYPE EXAMINATION CERTIFICATE

Sira 07ATEX2117X  
Issue 6

#### 13 DESCRIPTION OF EQUIPMENT

The Extrima Hydrogen Leak Detector is a portable device used to detect hydrogen leaks and is powered by a rechargeable Lithium ion battery. The equipment has a main housing (which is referred to as the detector), interconnected by a pluggable cable to a PX50 series probe unit. The interconnecting cable is fitted with a Lemo connector at each end enabling it to be removed from both the probe and detector.

The detector housing, is made from extruded aluminium, which is anodized and protected by conductive rubber face seals fitted to the front and rear panels. The side panels and corners of the enclosure are fitted with protective rubber ribs. The front and rear panels are secured to the main detector housing by four fasteners.

The front panel is fitted with the following; glass LCD, piezo speaker, four rubber pushbuttons, two LEDs and a Lemo connector for connecting to the probe. On the outside, the back panel has a socket for connecting to the battery charger/barcode reader and a Gortex seal. The battery charger has the following maximum parameters, 12.6V, 770 mA.

Internally the equipment comprises a potted lithium battery pack fitted to the rear of the back panel, and the following PCBs:

- Main
- Keyboard
- Backlight
- LCD

Externally, the probe comprises a conductive plastic enclosure with a single switch and two LEDs. The nozzle, which varies in length and type, is fitted into the end of the probe. A hydrogen sensor fits inside the nozzle and plugs into a connector that is wired back to the probe electronics. The probe is fully encapsulated, however, the switch, two LEDs and the hydrogen sensor are located outside of the encapsulation.

Internally, the probe comprises a single circuit board. The sensor wires are fitted at one end of the board and the Lemo connector at the other.

The Extrima® Hydrogen Leak Detector has an Ingress Protection rating of IP67 (1 m, for 30 minutes).

**Variation 1** - This variation introduced the following changes:

- To prolong the battery life, the probe power generation and protection circuit on the MAIN PCB in the Detector Unit has been redesigned. The circuit contains voltage enhancement and controlled semiconductor voltage shunts. These changes give reased output parameters to the probe.
- PX50x Series Probe Assembly now uses a housing made from an alternative plastic material and may orporate a hydrogen sensor that is not component approved. The circuit has been modified to provide reased power to the sensor to improve its sensitivity.
- The applicant's name was changed from Adixen Sensistor AB to that currently shown.



## SCHEDULE

### EU-TYPE EXAMINATION CERTIFICATE

Sira 07ATEX2117X  
Issue 6

**Variation 2** - This variation introduced the following changes:

- i. The LCD module for the Extrima® Hydrogen Leak Detector was modified and now includes components with a surface area of less than 20 mm<sup>2</sup>.
- ii. The bill of material drawings, KK1012-BOM-1H-CERT and KK1018-BOM-R7-CERT, were amended to:
  - Bring them into line with Sira report number R20666A/01.
  - Remove the manufacturer's name from the specification of various safety resistors.

**Variation 3** - This variation introduced the following change:

- i. The recognition of a change in the company name from Adixen Scandinavia AB to INFICON AB.

**Variation 4** - This variation introduced the following changes:

- i. The outline of the hand probe and the track layout of the hand probe PCB were amended.
- ii. The material of the hand probe was changed from injection moulded plastic to metal.

## 14 DESCRIPTIVE DOCUMENTS

### 14.1 Drawings

Refer to Certificate Annexe.

### 14.2 Associated Sira Reports and Certificate History

Issue	Date	Report no.	Comment
0	10 October 2007	R52A16411B	The release of the prime certificate.
1	18 December 2009	R20666A/00	The introduction of Variation 1 (Note: the date was revised by Issue 3 to correct a typographical error).
2	30 April 2010	R20666A/01	Issued to allow report R20666A/01 to replace report R20666A/00
3	20 October 2010	R23373A/00 R23526A/00	The introduction of Variation 2.
4	16 February 2012	R25248B/00	The introduction of Variation 3.
5	14 March 2012	R25248A/00	The introduction of Variation 4.
6	31st October 2019	2382	<ul style="list-style-type: none"><li>• Transfer of certificate <b>Sira 07ATEX2117X</b> from Sira Certification Service to CSA Group Netherlands B.V..</li><li>• EC Type-Examination Certificate in accordance with 94/9/EC updated to EU Type-Examination Certificate in accordance with Directive 2014/34/EU. (In accordance with Article 41 of Directive 2014/34/EU, EC Type-Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Variations to such EC Type-Examination Certificates may continue to bear the original certificate number issued prior to 20 April 2016.)</li></ul>

## 15 SPECIAL CONDITIONS FOR SAFE USE (denoted by X after the certificate number)

This certificate and its schedules may only be reproduced in its entirety and without change

**CSA Group Netherlands B.V.**  
Utrechtseweg 310,  
6812 AR, Arnhem Netherlands



## SCHEDULE

### EU-TYPE EXAMINATION CERTIFICATE

Sira 07ATEX2117X  
Issue 6

- 15.1 As aluminium is used at the accessible surface of this equipment, in the event of rare incidents, ignition sources due to impact and friction sparks could occur. This shall be considered when the Extrima® Hydrogen Leak Detector is being used in locations that specifically require group II, category 1 equipment.
- 16 **ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)**  
The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

# Certificate Annexe



**Certificate Number:** Sira 07ATEX2117X  
**Equipment:** Extrima® Hydrogen Leak Detector  
**Applicant:** INFICON AB

## Issue 0

Number	Sheet	Rev.	Date (Sira stamp)	Description
500131 CERT	1 of 1	-	10 Aug 07	General assembly
500137	1 of 1	-	10 Aug 07	Extrima internal separations
150748	1 of 1	-	10 Aug 07	Fixing of CS Fuses
900	1 to 3	3	10 Aug 07	Certification label details, ATEX & IECEx
500100 CERT	1 of 1	-	10 Aug 07	General assembly
Sensistor 16-5 Probe R5 CERT	1 to 2	R5	10 Aug 07	Probe circuit diagram
KB1012-SCH	1 of 1	1A	10 Aug 07	KB1012 Sensor
KK1018-R6	1 to 3	R6B	11 Sep 07	Parts list for probe PCB
16-5	1 to 6	R5	12 Sep 07	SENSISTOR PROBE-R5 LAYOUT-CERT
Sensistor Probe R6	1 to 6	R6	10 Aug 07	Probe PCB artwork details
815	1 of 1	2	10 Aug 07	Specification unpopulated Critical Extrima PCBs
KB1001	1 of 1	1A	10 Aug 07	KB1001 – Probe Cable, CX21 Series ATEX
500113 CERT	1 of 1	-	10 Aug 07	General assembly
PR1003-PST	1 of 1	1C	10 Aug 07	Extrima - Detector – PR1003 (block diagram)
KK1012-SCH	1 of 14	1F	11 Sep 07	Main board circuit diagram
KK1012-SCH	2 of 14	1F	11 Sep 07	Main board circuit diagram
KK1012-SCH	3 of 14	1F	11 Sep 07	Main board circuit diagram, power switch
KK1012-SCH	4 of 14	1F	11 Sep 07	Main board circuit diagram, logic power
KK1012-SCH	5 of 14	1F	11 Sep 07	Main board circuit diagram, MCU
KK1012-SCH	6 of 14	1F	11 Sep 07	Main board circuit diagram, LCD_power 1
KK1012-SCH	7 of 14	1F	11 Sep 07	Main board circuit diagram, LCD_power 2
KK1012-SCH	8 of 14	1F	11 Sep 07	Main board circuit diagram, LCD_bias
KK1012-SCH	9 of 14	1F	11 Sep 07	Main board circuit diagram, audio_interface
KK1012-SCH	10 of 14	1F	11 Sep 07	Main board circuit diagram, backlight_power
KK1012-SCH	11 of 14	1F	10 Aug 07	Main board circuit diagram, serial_interface
KK1012-SCH	12 of 14	1F	11 Sep 07	Main board circuit diagram, probe_power
KK1012-SCH	13 of 14	1F	11 Sep 07	Main board circuit diagram, audio_power
KK1012-SCH	14 of 14	1F	11 Sep 07	Main board circuit diagram, revision history
KK1012-SCH	1 to 9	1E	11 Sep 07	Extrima Main board Parts List
MK1018	1 to 7	3.0.1	10 Aug 07	Main board PCB (artwork details)
500136 Cert	1 of 1	-	10 Aug 07	Mainboard Overview
500130 CERT	1 of 1	-	10 Aug 07	Batteripack
KK1013-SCH	1 of 1	-	10 Aug 07	Backlight board (circuit diagram)
MK1019	1 to 3	1.1.0	10 Aug 07	Backlight board Artwork
KK1014-SCH	1 of 1	1B	10 Aug 07	Keyboard circuit diagram
MK1017	1 to 2	2.0.0	10 Aug 07	Keyboard Artwork
KK1019	1 to 2	1	10 Aug 07	Display circuit diagram
KB1002	1 of 1	1B	10 Aug 07	Cable assembly, Display PCB to Main PCB
KB1003	1 of 1	1A	10 Aug 07	KB1003 Display LCD Bias Cable assembly
KB1004	1 of 1	1B	10 Aug 07	KB1004 Keyboard Cable assembly
KB1005	1 of 1	1B	10 Aug 07	KB1005 Backlight Cable assembly
KB1006	1 of 1	1A	10 Aug 07	KB1006 Piezo sounder Cable assembly

This certificate and its schedules may only be reproduced in its entirety and without change

**CSA Group Netherlands B.V.**  
 Utrechseweg 310,  
 6812 AR, Arnhem,  
 Netherlands

# Certificate Annexe



**Certificate Number:** Sira 07ATEX2117X  
**Equipment:** Extrima® Hydrogen Leak Detector  
**Applicant:** INFICON AB

Number	Sheet	Rev.	Date (Sira stamp)	Description
KB1007	1 of 1	1A	10 Aug 07	KB1007 LED Cable assembly
KB1008	1 of 1	1B	10 Aug 07	KB1008 Probe, Cable assembly
KB1009	1 of 1	1C	10 Aug 07	KB1009 Charge and Barcode
KB1010	1 of 1	1A	10 Aug 07	KB1010 Battery pack Cable assembly
KB1011	1 of 1	1A	10 Aug 07	KB1011 Probe resistors Cable assembly
955	1 to 4	1	30 Aug 07	Recovery of Defect Board 3_0_1
1004	1 to 4	1	11 Sep 07	Recovery of Defect boards Patch 2

**Issue 1** (The drawing list associated with this Issue was removed because it was revised by Issue 2)

## Issue 2

Drawing	Sheets	Rev.	Date	Title
900	1 & 2	6	10 Dec 09	Labels EXTRIMA
500100 CERT	1 of 1	1	12 Jan 09	Probe Handle
Sensistor 16-7 Probe R7 CERT	1 & 2	R7	20 Jan 09	Probe Circuit
KB1012-SCH	1 of 1	1B	23 Jul 09	KB1012 Sensor
KK1018-BOM-R7-CERT	1 to 4	R7	29 Jul 09	Parts List for probe PCB
150711 CERT	1 of 1	-	24 Apr 07	Header assembly TO18 hexode CERT
500118	1 of 1	-	13 Sep 07	P512-500118 PX50 TO18 Probe Tip Assembly
KK1012-SCH	1 to 15	1H	01 Dec 09	Extrima Main board
KK1012-BOM-1H-CERT	1 to 11	1H	10 Dec 09	Extrima Main board Parts List
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Fabrication
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Assy Top
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Assy Bot
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Top Trace
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Plane
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Inner
MK1018	1 of 1	4.0.1	23 Jul 09	Main PCB Bottom Trace
KB1002	1 of 1	1C	21 Jul 09	Cable assembly, Display to Main PCB
KB1003	1 of 1	1B	21 Jul 09	KB1003 Display LCD Bias Cable Assembly
KB1004	1 of 1	1C	21 Jul 09	KB1004 Keyboard Cable assembly
KB1005	1 of 1	1C	21 Jul 09	KB1005 Backlight Cable assembly
KB1006-SCH	1 of 1	1B	21 Jul 09	KB1006 Piezo
KB1007-SCH	1 of 1	1B	23 Jul 09	KB1007 LED Cable assembly
KB1008	1 of 1	1C	23 Jul 09	KB1008 Cable assembly
KB1009	1 of 1	1D	23 Jul 09	KB1009 Charge & Barcode Cable Assembly
KB1010	1 of 1	1B	23 Jul 09	KB1010 Battery
KB1012-SCH	1 of 1	1B	23 Jul 09	KB1012 Sensor Cable assembly

## Issue 3

### Drawings introduced by R23373A/00

Drawing no.	Sheets	Rev.	Date (Sira stamp)	Title
KK1019	1 to 2	3	05 Oct 10	Display circuit diagram

This certificate and its schedules may only be reproduced in its entirety and without change

**CSA Group Netherlands B.V.**  
 Utrechseweg 310,  
 6812 AR, Arnhem,  
 Netherlands

# Certificate Annexe



**Certificate Number:** Sira 07ATEX2117X  
**Equipment:** Extrima® Hydrogen Leak Detector  
**Applicant:** INFICON AB

---

## Drawings introduced by R23526A/00

Drawing no.	Sheets	Rev.	Date (Sira stamp)	Title
KK1012-BOM-1I -CERT	1 to 11	1I	14 Oct 10	Extrima - Main Board
KK1018-BOM- R8-CERT	1 to 4	R8	14 Oct 10	Extrima - Probe PX50

## Issue 4

Drawing no.	Sheets	Rev.	Date (Sira stamp)	Title
900	1 to 2	7	16 Feb 12	INFICON AB label

## Issue 5

Drawing no.	Sheets	Rev	Date (Sira stamp)	Title
900	1 to 2	7	05 Mar 12	INFICON AB label
PX57 PROBE HANDLE	1 of 1	B	05 Mar 12	Probe Handle (exploded view of assembly)
ATEX (PX57) Probe PCB	1 to 4	01A	05 Mar 12	Probe PCB Schematics
ATEX (PX57) Probe PCB	1 to 2	01A	05 Mar 12	Probe PCB Bill of Materials
ATEX (PX57) Probe PCB	1 to 10	01B	05 Mar 12	Probe PCB Artworks
ATEX (PX57) Probe PCB (Assy.)	1 to 2	01A	05 Mar 12	Probe PCB Component Assembly

The following drawings were deleted.

Drawing Deleted
500100 CERT
Sensistor 16-7 Probe R7 CERT
KK1018-BOM-R7-CERT
Sensistor Probe R6
Sensistor Probe R6

This certificate and its schedules may only be reproduced in its entirety and without change

**CSA Group Netherlands B.V.**  
Utrechtseweg 310,  
6812 AR, Arnhem,  
Netherlands